

UK DECLARATION OF CONFORMITY



Manufacturer Name: **Zebra Technologies Corporation**

Manufacturer Address: **1 Zebra Plaza, Holtsville, NY 11742-1300**

This Declaration of Conformity is issued under the sole responsibility of the manufacturer.

RFD2000

RFID Sled

The undersigned hereby declares that the above referenced product is in Conformity with the Radio Equipment Regulations 2017 (S.I. 2017 No.1206)¹ and the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 (S.I. 2012 No. 3032)¹ applying relevant Designated Standards and other technical specifications:

RF Spectrum Efficiency

Standards

Regulation 6.2

EN 302 208 V3.1.1

EMC

Standards

Regulation 6.1b

EN 301 489-1 V2.2.3, Final Draft EN 301 489-3 V2.1.1
EN 55032:2015/A11:2020 (Class B)
EN 55035:2017
EN 55035:2017/A11:2020
EN 61000-3-2:2014 (Class A)
EN 61000-3-3:2013

Health & Safety

Standards

Regulation 6.1a

EN 62368-1:2014/AC:2015
EN 62368-1:2014/A11:2017
EN 50566:2017 (Max average 10g SAR: Body 0.946 W/Kg)
EN 50364:2018
EN 62311:2008
EN 62311:2020

Environmental

Standards

Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations

EN 50581:2012
EN IEC 63000:2018

Zebra Technologies Europe Limited

Dukes Meadow, Millboard Road, Bourne End, Buckinghamshire SL8 5XF, Company No: 02881068, Telephone: +44 1628 556000

Zebra Technologies Corporation

3 Overlook Point, Lincolnshire, IL 60069, Telephone: +1 847 634 6700

With regard to the Radio Equipment Regulations 2017 (S.I. 2017 No.1206)¹, the conformity assessment procedure referred to in regulation 41(4)(a) and detailed in Schedule 2 has been followed.

¹ As amended by applicable EU withdrawal legislation implemented at the time of issuing this declaration

Signed on behalf of Zebra Technologies Corporation



(Signature of authorized person)

Marco Belli

Sr. Manager, Regulatory

Place: Bourne End, UK

Rev: A

Date: 13 September 2021

Appendix A

UK Operating frequencies and maximum power levels

Technology	Operating Frequencies/Bands	Maximum Transmit power level
RFID	865 MHz - 868MHz	33dBm

Accessories:

Description	Model
1 Slot Cradle	CRD1S-RFD2000
5 Slot Cradle	SHARECRADLE-MC